Kew Bulletin

An International Journal for Taxonomy and Systematics of Plants and Fungi

CABI BIOSCIENCE
FOHAM LIBRARY
30 JAN 2003

Index to Volume 60

Kew

PLANTS PEOPLE
POSSIBILITIES

© *The Board of Trustees of the Royal Botanic Gardens, Kew 2007*

Applications for reproduction should be made in writing to:
The Trustees of the Royal Botanic Gardens, Kew,
47 Kew Green, Kew, Richmond, Surrey, TW9 3AB.

Index to Kew Bulletin plant names — Volume 60

Principal references are indicated in **bold** and illustrations*

Acrocephalus Benth., 32
—— *blumei* Benth., 35
—— *capitatus* (Roth) Benth., 35
—— *hispidus* (L.) Nicolson & Sivad., 35
—— *indicus* (Burm. f.) Kuntze, 35
—— —— f. *spicatus* (C. B. Rob.) Keng, 35
—— *klossii* Wernham, 67
—— *scariosus* Benth., 32, 35
—— *spicatus* C. B. Rob., 35
—— *verbenifolius* Watt ex Mukerjee, 36
Adiantum, 117
—— *argutum* Splitg., 121
—— *humile* Kuntze, 117, 118*, 119
—— *incertum* Lindm., 121
—— *latifolium* Lam., 117, 119
—— *petiolatum* Desv., 117, 118*, 119
—— ***windischii*** J. Prado, **119**, 120*
—— × ***moranii*** J. Prado, **117**, 118*, 119
—— ×variopinnatum Jermy & T. G. Walker, 117, 119
Aeranthes campbelliae Hermans & Bosser, 139
—— *caudata* Rolfe, 139
—— *dentiens* Rchb. f., 139
—— *grandiflora* Lindl., 139
—— ***virginalis*** D. L. Roberts, **139**, 140*
Afrothismia baerae, 594
—— *insigni* Cowley, 593
—— ***mhoroana*** Cheek, **593**, 595*
—— *pachyantha*, 594
—— *winkleri* (Engl.) Schltr., 596
Agapanthus L'Her., 149
Amerimnon pinnatum Jacq., 363
Anathallis, 137
—— *corticicola* (Schltr. ex Hoehne) Pridgeon & M. W. Chase, 137
—— ***microphyta*** (Barb. Rodr.) C. O. Azevedo & Van den Berg, **137**
Ancistrophyllinae Becc., **560**
Aneulophus africanus Benth., **456**, 457*
Anisochilus carnosus (L. f.) Wall., 145
—— *sinensis* Hance, 65
Anthurium cordatum Vellozo, 485
Apocynaceae, 87
Archontophoenicinae J. Dransf. & N. W. Uhl, **563**
Arecoideae Burnett, **561**
Ascelpiadinae, 87
Asclepiadoideae, 111 – 115
Aspidosperma pyrifolium Mart., 313
—— ***resonans*** H. J. Will. & Goyder, **313**, 315*
Attaleinae Drude, **562**
Aulacocalyx Hook f., 301
—— ***camerooniana*** Sonke & S. E. Dawson, 301, **302**, 303*
—— *divergens* (Hutch. & Dalz.) Keay, 301, 302
—— *jasminiflora* Hook. f. subsp. *jasminiflora*, 301
Bactridinae Hook. f., **562**
Basilicum Moench, **3**
—— ***polystachyon*** (L.) Moench, 3, **4**
Basseliniinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **563**
Becium Lindl., 24
—— *filamentosum* (Forssk.) Chiov., 31
Blechnum, 597
—— *capense* (L.) Schltdl., 597
—— *dilatatum*, 597
—— *nesophilum* T. C. Chambers & P. A. Farrant, 597
—— ***puniceum*** T. C. Chambers, P. J. Edwards & R. J. Johns, 597, **598**, 599*
Boehmeria conica C. J. Chen, Wilmot-Dear & Friis, **449**, 450*
—— ***lanceolata*** Ridl., **451**
—— *polystachya*, 451
—— *tonkinensis* Gagnep., 451
Borasseae Mart., **561**

Calameae Kunth ex Lecoq & Juillet, **560**
Calaminae Meisn., **561**
Calamoideae Beilschm., **560**
Cambessedesia balsamifera DC., 445
—— *sincorensis* DC., 446
Carpoxylinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **563**
Caryoteae Drude, **561**
Cassipourea malosana Alston, **456**, 457*
Ceratanthus F. Muell. ex G. Taylor, 32
—— *annamensis* G. Taylor, 49
—— *becquerelii* Doan, 51
—— *calcaratus* (Hemsl.) G. Taylor, 50
—— *garrettii* (Craib) G. Taylor, 51
—— *kerrii* Doan, 53
—— *ocimoides* G. Taylor, 46
—— *stolonifer* G. Taylor, 46
Ceropegia L., 401, 408, 409
—— sect. *Riocreuxia sensu* H. Huber, 410
—— *brachysiphon* H. Huber, 429
—— *burchellii* (K. Schum.) H. Huber subsp. *burchellii*, 412
—— —— subsp. *profusa* (N. E. Br.) H. Huber, 412
—— *chrysochroma* H. Huber, 427
—— *effusa* H. Huber, 417
—— *flanaganii* Schltr. var. *fallax*, 421
—— —— var. *flanaganii*, 425
—— *picta* (Schltr.) H. Huber, 422
—— *splendida* (K. Schum.) H. Huber, 415
—— *torulosa* E. Mey., 417
Ceroxyleae Satake, **561**
Ceroxyloideae Drude, **561**
Chaetostoma luetzelburgii Markgr., 446
—— *parvulum* Markgr., 446
Chamaedoreeae Drude, **562**

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Chaptalia Vent., 133
—— sect. *Archichaptalia* Burkart, 133
—— *chapadensis* D. J. N. Hind, 135
—— ***cipoensis*** Roque, **133**, 134*
—— *denticulata* (Baker) Zardini, 135
—— *martii* (Baker) Zardini, 133
Cheilanthes decora (Brack.) R. M. Tryon & A. F. Tryon, 553
—— *takeuchii* W. H. Wagner, 555
Chuniophoeniceae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **561**
Clerodendranthus Kudo, 6
—— *spicatus* (Thunb.) C. Y. Wu ex H. W. Li, 22
—— *stamineus* (Benth.) Kudo, 22
Clerodendrum spicatum Thunb., 22, 23
Clinospermatinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **563**
Cocoseae Mart., **562**
Coleus carnosus A. Chev., 145
—— *carnosus* Hassk., 145
—— —— var. *lamiifolius* A. Chev., 145
—— *mannii* Hook. f., 146
—— *repens* Gürke, 145
Corypheae Mart., **561**
Coryphoideae Burnett, **561**
Crysophileae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **561**
Ctenium Panz., 123
—— ***bahiense*** Longhi-Wagner, **123**, 125*
—— *chapadense* Trin., 124
—— *cirrhosum* (Nees) Kunth, 124
—— —— var. ***ondulatum*** Longhi-Wagner, **124**, 126*
—— —— var. *cirrhosum*, 124
—— —— var. *ondulatum*, 123
Cyclospatheae O. F. Cook, **561**
Cycnium aff. *ajugifolium* Engl., 461
Cycnium breviflorum Ghaz., **461**, 462*

Dactylostelma boliviense Schltr., 97
Dioscorea L., 273
—— *bemarivensis* Jum. & H. Perrier, 273
—— ***bosseri*** Haigh & Wilkin, **273**, 277*, 278*
—— *lucida* R. Br., 273
—— *lucida* Scott-Elliott, 273
—— *madagascariensis* R. Kunth, 273
—— *majungensis* R. Kunth, 273
—— *nesiotis* Hemsl., 273
—— ***sterilis*** O. Weber & Wilkins, 283, **286**, 287*, 289*
—— *tricantha* Baker, 283
—— —— var. *longibracteata*, 283, 286
Ditassa, 112
Doryopteris J. Sm., 547
—— ***angelica*** K. Wood & W. H. Wagner, 549, **550**, 551*
—— ***decipiens*** (Hook.) J. Sm., 549, 551*, **552**
—— ***decora*** Brack., 549, **553**, 554*
—— —— var. *typica* R. M. Tryon, 553
—— —— var. *decipiens* (Hook.) R. M. Tryon, 552
—— ***subdecipiens*** W. H. Wagner, 549, **553**, 554*
—— ***takeuchii*** W. H. Wagner, 549, **555**, 556*
—— ***tryonii*** O. Deg. & I. Deg., 556*, **557**
Dracocephalum cochinchinense Lour., 65
Dypsidinae Becc., **563**

Elaeidinae Hook. f., **562**
Elaeocarpus amabilis Kaneh. & Hatus, 305, **308**
—— —— subsp. ***amabilis***, **309**
—— —— subsp. ***piorae*** Goode, 305, **309**
—— ***crenulatus*** R. Kunth, 305 – 307, **310**
—— ***myrtoides*** A. C. Sm., 305, **306**
—— —— subsp. ***myrtoides***, **307**
—— —— subsp. ***vinkiii*** Coodei, 305, **307**

Emplectanthus N. E. Br., 401, 408, 409
Erythrochlamys Gürke, 24
Erythroxylum mucronatum Benth., **456**, 457*
Eugeissoneae W. J. Baker & J. Dransf., **560**
Euterpeae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**

Geniosporum Wall. ex Benth., 32
—— *coloratum* (D. Don) Kuntze, 38
—— *holochilum* Hance, 65
—— *lanceolatum* Chermsir. ex Murata, 42
—— *parviflorum* Benth., 57
—— *siamense* Murata, 40
—— *strobiliferum* Wall. ex Benth., 40
—— *strobiliferum* Wall., 40
—— *taylorii* Doan, 36
—— *taylorii sensu* Murata, 40
Geonomateae Luersss., **562**
Gomphrena hispida L., 35
Gothofreda apoloensis Rusby, 100
—— *cordifolia* Vent., 103, 104
—— ***pearsonii*** Rusby, **99**
—— *pedicellatum* (Decne.) Kuntze, 108

Hemsleia Kudo, 32
—— *calcarata* (Hemsl.) Kudo, 32, 50
Hendersonia curtissi Berk., 152
Hyphaeninae Becc., **561**

Iriarteeae Drude, **561**
Isodon repens (Wall. ex Benth.) Murata, 145
Isolepsis sect. *Proliferae*, 159

Keysseria pinguiculiformis J. Kost. forma *nana* J. Kost., 603
Korthalsiinae Becc., **560**

Lataniinae Meisn., **561**
Lavandula, 160
Lavoisiera blanchetiana Naudin, 445
—— *luetzelburgii* Markgr., 445
—— *mucugensis* Wurdack, 446
—— *noblickii* Wurdack, 446
—— *viminalis* DC., 447
Leopoldinieae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**
Lepanthes microphyta Barb. Rodr., 137
Lepidocaryeae Mart. ex Dumort., **560**
Limniboza R. E. Fr., 32
Linospadicinae Hook. f., **563**
Litobrochia decipiens (Hook.) T. Moore, 552
—— *decora* (Brack.) Moore, 553
Livistoneae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **561**
Livistoninae Saakov, **561**
Lumnitzera capitata (Roth) Spreng., 4, 35
—— *polystachya* (L.) Jacq. f. ex Spreng., 4
—— *rubicunda* (D. Don) Spreng., 9
—— *tenuiflora* (L.) Spreng., 26
—— *virgata* (D. Don) Spreng., 9

Manicarieae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**
Margaretta, 87, 88
—— *decipiens* Schltr., 92
—— *holstii* K. Schum., 91

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *inopinata* Hutch, 90
—— *ledermannii* Schltr., 90
—— —— var. *foliosa* Schltr., 90
—— *passargei* K. Schum., 90
—— *pulchella* Schltr., 91
—— ***rosea*** Oliv., 87, **88**, **90**
—— —— subsp. ***bidens*** Bullock, 88, **91**
—— —— subsp. ***corallina*** Goyder, 88, **90**
—— —— subsp. ***cornetti*** (Dewevre) Goyder, 88, **92**
—— —— —— var. *pallida* De Wild., 92
—— —— subsp ***kilimanjarica*** Goyder, 88, **91**
—— —— subsp. ***occidentalis*** Goyder, 88, **90**
—— —— subsp. ***orbicularis*** (N. E. Br.) Goyder, 87, 88, **91**
—— —— subsp. ***rosea***, **90**
—— —— subsp. ***whytei*** (K. Schum.) Mwanyambo, 87, 88, **91**
—— *verdickii* De Wild., 92
Mauritiinae Meisn., **560**
Mesona Blume, 32
—— *cambodgensis* Doan, 60
—— *capitata* (Prain) Doan, 67
—— *chinensis* Benth., 57
—— *elegans* Hayata, 57
—— *grandiflora* Doan, 58
—— *palustris* Blume, 32, 57
—— *parviflora* (Benth.) Briq., 57
—— *philippinensis* Merr., 57
—— *procumbens* Hemsl., 57
—— *prunelloides* Hemsl., 65
—— *rubra* Doan, 68
—— *wallichiana* Benth., 57
Metroxylinae Blume, **560**
Microlicia D. Don., **441**
—— ***amblysepala*** Ule, **445**
—— ***aurea*** Wurdack, **445**
—— ***baccharoides*** Mart. ex Naudin, **445**
—— ***bahiensis*** Markgr., **445**
—— ***balsamifera*** (DC.) Mart., **445**
—— ***blanchetiana*** (Naudin) Cogn., **445**
—— ***carrasci*** Markgr., **445**
—— ***catolensis*** Woodgyer & Zappi, **436**, 439*, **445**
—— ***chrysantha*** Wurdack, **445**
—— ***cinerea*** Cogn., **445**
—— ***comparilis*** Wurdack, **445**
—— ***confertiflora*** Naudin, **445**
—— ***cordata*** (Spreng.) Cham., **445**
—— *decussata*, 445
—— ***decussata*** Naudin, **445**
—— *euphorbioides* Mart., 445
—— ***fasciculata*** Mart. ex Naudin, **445**
—— ***fulva*** (Spreng.) Cham., **445**
—— ***giuliettiana*** A. B. Martins & Almeda, **445**
—— ***harleyi*** Wurdack, 436, **445**
—— ***hatschbachii*** Wurdack, **446**
—— ***isostemon*** Wurdack, **446**
—— ***leucopetala*** Wurdack, **446**
—— ***longisepala*** Wurdack, **446**
—— ***luetzelburgii*** Markgr., **446**
—— ***lutea*** Markgr., **446**
—— ***minima*** Markgr., **446**
—— —— var. ***aristifera*** Markgr., **446**
—— ***monticola*** Wurdack, **446**
—— ***morii*** Wurdack, 436, **446**
—— ***mucugensis*** (Wurdack) Almeda & A. B. Martins, **446**
—— ***neglecta*** Cogn. in Mart., **446**
—— ***noblickii*** (Wurdack) A. B. Martins & Almeda, **446**
—— ***oligochaeta*** Wurdack, **446**
—— ***petasensis*** Wurdack, **446**
—— ***pinheiroi*** Wurdack, **446**
—— ***plumosa*** Woodgyer & Zappi, **435**, 437*, **446**
—— ***rotundifolia*** Ule, **446**
—— ***schreineri*** Schwacke & Cogn. in DC., **446**
—— ***setosa*** (Spreng.) DC., **446**
—— ***sincorensis*** (DC.) Mart., **446**
—— ***subaequalis*** Wurdack, **446**
—— ***subalata*** Wurdack, **446**
—— ***subsetosa*** DC., **447**
—— ***sulfurea*** Hoehne, **447**
—— ***taxifolia*** Naudin, **447**
—— ***torrendii*** Brade, **447**
—— ***variolosa*** DC. var. ***hirsuta*** DC., **445**
—— ***viminalis*** (DC.) Triana, **447**
Miscanthus lutarioriparius Liu ex S. L. Chen & Renvoize, **605**, 606*
—— ***paniculatus*** (B. S. Sun) S. L. Chen & Renvoize, **607**
—— *sacchariflorus* (Maxim.) Hack., 605
Moschosma Rchb., 3
—— *polystachyon* (L.) Benth., 3, 4
—— *tenuiflora* (L.) Heynh., 26

Nectaropetalum kaessneri Engl., **456**, 457*
Nosema Prain, 32
—— *capitatum* Prain, 32, 67
—— —— var. *javanicum* C. B. Clarke ex Prain, 67
—— *cochinchinense* (Lour.) Merr., 65
—— *grandiflorum* (Doan) Mukerjee, 58
—— *holochilum* (Hance) Kudo, 65
—— *prunelloides* (Hemsl.) C. B. Clarke ex Prain, 67
—— *rubrum* (Doan) C. Y. Wu, 68
—— *tonkinense* C. B. Clarke ex Prain, 67
Novaguinea rudalliae D. J. N. Hind, **603**
Nypoideae Griff., **561**

Ocimum L., **24**
—— *acrocephalum* Blume, 35
—— *adscendens* Willd., 31
—— ***africanum*** Lour., **28**
—— *album* Blanco, 26
—— *album* L., 30
—— ***americanum*** L., **28**, 29
—— —— var. *americanum*, 28
—— —— var. *pilosum* (Willd.) A. J. Paton, 29, 31
—— *anosurum* Fenzl, 25
—— *aristatum* Blume, 21, 23
—— *barrelieri* Roth, 30
—— ***basilicum*** L., 29, **30**
—— —— var. *album* (L.) Benth., 30
—— —— var. *anisatum* Benth., 29
—— —— var. *densiflorum* Benth., 30
—— —— var. *difforme* Benth., 30
—— —— var. *glabratum* Benth., 30
—— —— var. *majus* Benth., 30
—— —— var. *pilosum* (Willd.) Benth., 28
—— —— var. *purpurascens* Benth., 30
—— —— var. *thyrsiflorum* (L.) Benth., 30
—— *brachiatum* Blume, 28
—— *bullatum* Lam., 30
—— *canum* Sims, 28
—— *capitatum* Roth, 35
—— *caryophyllatum* Roxb., 30
—— *ciliatum* Hornem., 30
—— *citratum* Rumph., 29
—— *citrodorum* Blanco, 30
—— *cristatum* Roxb., 31
—— *dichotomum* Hochst. ex Benth., 28
—— *dimidiatum* Schumach. & Thonn., 4
—— *exsul* Collett & Hemsl., 31

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *febrifugum* Lindl., 25
—— ***filamentosum*** Forssk., **31**
—— *fluminense* Vell., 28
—— *frutescens* Mill., 25
—— *grandiflorum* Blume, 22, 24
—— ***gratissimum*** L., **25**
—— —— var. ***gratissimum***, **25**
—— —— var. ***macrophyllum*** Briq., 25, **26**
—— —— var. *suave* (Willd.) Hook. f., 25
—— *graveolens* A. Braun, 29
—— *guineense* Schumach. & Thonn., 25
—— *hirsutum* Benth., 26, 27
—— *hispidulum* Schumach. & Thonn., 28
—— *hispidum* Lam., 28
—— *incanescens* Mart., 30
—— *indicum* Roth, 28
—— *inodorum* Burm. f., 26
—— *integerrimum* Willd., 30
—— ***kilimandscharicum*** Baker ex Gürke, **27**
—— *medium* Mill., 30
—— *monachorum* L., 26
—— *nelsonii* Zipp. ex Spanoghe, 26
—— *paniculatum* Boj., 25
—— *petiolare* Lam., 25
—— *petitianum* A. Rich., 29
—— *pilosum* Willd., 28, 29
—— *polystachyon* L., 3, 4
—— *sanctum* L., 26
—— —— var. *hirsutum* (Benth.) Hook. f., 26
—— *stamineum* Sims, 28
—— *suave* Willd., 25
—— *tashiroi* Hayata, 4
—— ***tenuiflorum*** L., 8, **26**
—— *thymiflorum* Roth, 6, 7
—— *thyrsiflorum* L., 30
—— *tomentosum* Lam., 26
—— *triste* Roth, 6, 7
—— *tuberosum* Roxb., 9
—— *urticifolium* Roth, 25, 30
—— *villosum* Roxb., 26
—— *villosum* Weinm., 25
—— *virgatum* Blanco, 26
—— *viride* Willd., 25
—— *viridiflorum* Roth, 25
—— *viscosum* Roth, 7
—— × *citriodorum* Vis., 29
Octomeron Robyns, 32
Oncospermatinae Hook. f., **563**
Oranieae Becc., **562**
Orthosiphon Benth., **6**
—— ***aristatus*** (Blume) Miq., 6, 19, **21**
—— —— var. ***aristatus***, **22**, 28
—— —— var. ***velteri*** S. Suddee & A. J. Paton, 22, **23**
—— *glabratus* Benth., 7
—— —— var. *parviflorus* (Benth.) Gamble, 7
—— ***glandulosus*** C. E. C. Fisch., **19**, 20*
—— *grandiflorus* Bold., 22
—— *incurvus* Benth., 9, 11
—— *lanatus* Doan, 16
—— ***lanatus*** Doan ex S. Suddee & A. J. Paton, 14, **16**
—— *marmoritis* (Hance) Dunn, 7, 8
—— ***parishii*** Prain, **14**, 15*
—— *petiolaris* Miq., 7
—— ***pseudoaristatus*** S. Suddee, **21**
—— *rotundifolius* Doan, 14
—— ***rotundifolius*** Doan ex S. Suddee & A. J. Paton, **14**, 16, 17*
—— ***rubicundus*** (D. Don) Benth., 6, **8**, 10
—— —— var. *canescens* Benth., 9
—— —— var. *hohenackeri* Hook. f., 9
—— —— var. *macrocarpus* Prain, 9
—— —— var. *mollissimus* Benth., 9
—— —— var. *rigidus* Benth., 9, 11
—— ***scapiger*** Benth., **11**, 12*
—— *sinensis* Hemsl., 7, 8
—— *spicatus* (Thunb.) Back., Bakh. f. & Steenis, 22, 23
—— *stamineus* Benth., 6, 22
—— —— var. *angustifolia* Benth., 22
—— *tagawae* Murata, 22, 23
—— ***thymiflorus*** (Roth) Sleesen, **7**
—— —— var. *viscosus* (Benth.) Sleesen, 7
—— *tomentosus* Benth., 7, 8
—— —— var. *glabratus* (Benth.) Hook. f., 7
—— —— var. *parviflorus* Benth., 7
—— —— var. *rubiginosus* Clarke ex Hook. f., 7
—— —— var. *viscosus* (Benth.) Hook. f., 7
—— *tomentosus* Teijsm. & Binn., 22
—— *truncatus* Doan, 19
—— ***truncatus*** Doan ex S. Suddee & A. J. Paton, **19**
—— *velteri* Doan, 23
—— *virgatus* (D. Don) Benth., 9
—— *viscosus* Benth., 7
Oxypetalum R. Br., 95, 112
—— ***apoloense*** (Rusby) Dorr, **100**
—— ***balansae*** Malme, 97, 99, **100**
—— *brachystemma* Malme, 97, 99
—— *cordifolium sensu* Fontella *et al.*, 108
—— ***cordifolium*** (Vent.) Schltr., 97, 99, 103, **104**
—— —— subsp. ***brasiliense*** (Decne.) Fontella & Goyder, 103, 104, 105*, **108**
—— —— subsp. ***cordifolium***, 105*, **106**
—— —— subsp. ***harleyi*** Fontella & Goyer, 103, 104, 105*, **106**
—— —— subsp. ***mexiae*** Fontella & Goyder, 99, 105*, **107**
—— —— subsp. ***pedicellatum*** Decne. (Fontella & Goyder), 103, 104, 105*, **108**
—— *dactylostelma* Goyder, 95, 97
—— ***flavopurpureum*** Goyder & Fontella, **97**, 98*, 99
—— *flavopurpureum* Schltr., 99
—— *flavopurpureum* Schum., 99
—— ***fuscum*** Goyder & Fontella, **95**, 96*, 97, 99
—— *huilense* Pittier, 103, 104
—— *ostenii* Malme, 97
—— *pauciflorum*, 100
—— ***pearsonii*** (Rusby) Goyder & Fontella, 97, **99**
—— *pedicellatum* Decne. in DC., 108
—— —— var. *itatiaiense* Occhoni, 103, 108
—— *riparium* Kunth, 103, 104
—— *riparium sensu* Hoehne, 108
—— —— var. *brasiliense* Decne., 103, 108
—— —— var. *brasiliense* Decne. in DC., 108
—— *subriparium* Malme, 103, 108

Pachycarpus, 87, 88
—— *distinctus*, 88
—— *grantii*, 88
Pelagodoxeae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **563**
Pentarrhinum iringense Markgr., 613
Periplocoideae, 112, 113
Philodendron, 129, 465
—— sect. *Calostigma* (Schott) Pfeiffer, 129
—— sect. *Macrobelium*, 465
—— ***acutatum*** Schott, **472**, 474*
—— ***aemulum*** Schott, **476**
—— ***altomacaense*** Nadruz & Mayo, **476**, 478*
—— *angustualatum* Engl., 131
—— *apparicioi* G. M. Barroso, 485

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— ***appendiculatum*** Nadruz & Mayo, **479**, 480*
—— ***biribiriense*** Sakur. & Mayo, **482**
—— ***burle-marxii*** G. M. Barroso, **482**
—— *cardiophyllum* K. Koch & Sello, 489
—— ***carinatum*** E. G. Gonc., **129**, 130*, **483**
—— ***cipoense*** Sakur. & Mayo, **483**
—— ***cordatum*** Kunth ex Schott, **485**, 486*
—— ***curvilobum*** Schott, 486*, **487**
—— *cyclops* A. D. Hawkes, 472
—— *elaphoglossoides* Schott, 510
—— *elongatum* Engl., 490
—— ***eximium*** Schott, 486*, **489**
—— —— var. *cardiophyllum* (K. Koch & H. Sello) Engl., 489
—— ***fragile*** Nadruz & Mayo, **489**, 491*
—— *guaraense* E. C. Gonc., 472
—— ***hastatum*** K. Koch & Sello, 486*, **490**
—— *hastifolium* Regel, 490
—— ***hatschbachii*** Nadruz & Mayo, 491*, **492**
—— *imbe* Schott ex Endl., 509
—— ***inops*** Schott, 491*, **493**
—— ***kautskyi*** G. S. Bunting, 491*, **493**
—— ***loefgrenii*** Engl., **494**, 495*
—— ***millerianum*** Nadruz & Sakur., **496**
—— ***minarum*** Engl., **497**
—— *muricatum* Willd. ex Schott, 510
—— ***myrmecophilum*** Engl., 495*, **499**
—— ***pachyphyllum*** K. Krause, 495*, **499**
—— ***pulchellum*** Engl., 495*, **500**
—— ***rhizomatosum*** Sakur. & Mayo, **500**, 502*
—— ***roseopetiolatum*** Nadruz & Mayo, 502*, **503**
—— *rotundatum* Engl., 509
—— ***simonianum*** Sakur., 502*, **503**
—— *simsii* K. Koch, 490
—— ***sphalerum*** Schott, 502*, **505**
—— ***spiritus-sancti*** G. S. Bunting, **505**, 507*
—— ***tenuispadix*** E. C. Gonc., **506**
—— ***uleanum*** Engl., **506**, 507*
—— ***vargealtense*** Sakur., 507*, **508**
—— ***wittianum*** Engl., 507*, **508**
—— *wurdackii* G. S. Bunting, 131
Phoeniceae J. Presl, **561**
Phoma amaryllidis Kotthoff & Friedrichs, 152
—— *gemmipara* Zondag, 152
—— *herbarum* Westend., 155
—— *narcissi* (Aderh.) Boerema, 152
Phomopsis agapanthi Punith. & Spooner, **149**, 150*, 151*
—— *ranojevicii* Bubak, 150
Phyllosticta hymenocallidis Seaver, 152
—— *narcissi* Aderh., 152
—— *narcissi* Oudem., 152
—— *oudemansii* Sacc. & Syd., 152
Phytelepheae Horan., **561**
Pigafettinae J. Dransf. & N. W. Uhl, **560**
Pinacopodium congolense (S. Moore) Exell & Mendonca, **456**, 457*
Platostoma P. Beauv., **32**
—— subgen. ***Acrocephalus*** (Benth.) A. J. Paton, **33**
—— subgen. ***Platostoma***, **33**
—— sect. ***Acrocephalus*** (Benth.) A. J. Paton, **33**
—— sect. ***Ceratanthus*** (G. Taylor) A. J. Paton, **33**
—— sect. ***Heterodonta*** (Briq.) A. J. Paton, **33**, 38
—— sect. ***Mesona*** (Blume) A. J. Paton, **33**, 38
—— ***annamense*** (G. Taylor) A. J. Paton, **49**
—— *becquerelii* (Doan) A. J. Paton, 51
—— ***becquerelii*** S. Suddee & A. J. Paton, **51**
—— ***calcaratum*** (Hemsl.) A. J. Paton, 32, **50**
—— —— var. ***calcaratum***, **51**
—— —— var. ***garrettii*** (Craib) S. Suddee, 49, **51**, 52*
—— *cambodgense* (Doan) A. J. Paton, 60
—— ***cambodgense*** S. Suddee & A. J. Paton, 58, **60**
—— —— var. ***cambodgense***, **62**
—— —— var. ***subulatum*** S. Suddee, **62**, 63*
—— *chinense* (Benth.) A. J. Paton, 57
—— ***cochinchinense*** (Lour.) A. J. Paton, 32, 58, **65**
—— ***coloratum*** (D. Don) A. J. Paton, 36, **38**
—— —— var. ***coloratum***, 39*, **40**
—— —— var. ***minutum*** S. Suddee, **40**
—— ***fimbriatum*** A. J. Paton, **55**
—— *garrettii* (Craib) A. J. Paton, 51
—— *grandiflorum* (Doan) A. J. Paton, 58
—— ***grandiflorum*** S. Suddee & A. J. Paton, **58**
—— ***hispidum*** (L.) A. J. Paton, **35**
—— ***intermedium*** A. J. Paton, **44**
—— *kerrii* (Doan) A. J. Paton, 53
—— ***kerrii*** S. Suddee & A. J. Paton, 51, **53**, 54*
—— ***lanceolatum*** (Chermsir. ex Murata) A. J. Paton, **42**, 43*
—— ***mekongense*** S. Suddee, **65**, 66*
—— ***ocimoides*** (G. Taylor) A. J. Paton, **46**, 47*
—— ***palustre*** (Blume) A. J. Paton, 32, **57**
—— *rubrum* (Doan) A. J. Paton, 68
—— ***rubrum*** S. Suddee & A. J. Paton, **68**
—— ***siamense*** (Murata) A. J. Paton, **40**
—— ***stoloniferum*** (G. Taylor) A. J. Paton, **46**
—— ***taylori*** S. Suddee & A. J. Paton, **36**
—— *taylorii* (Doan) A. J. Paton, 36
—— ***tectum*** A. J. Paton, **55**
—— ***verbenifolium*** (Watt ex Mukerjee) A. J. Paton, **36**
Platymiscium, 321
—— ***albertinae*** Standl. & L. O. Williams, **377**, 379*
—— *bifoliolatum* Benth., 391
—— *blanchetii* Benth., 352
—— ***calyptratum*** M. Sousa & Klitg., 390*, **391**
—— *cochabambense* Rusby, 361
—— *cordatum* Taub., 354
—— *cordifolium* Taub., 391
—— ***curuense*** N. Zamora & Klitg., **375**, 378*
—— *cysnevroii* Glaz., 391
—— ***darienense*** Dwyer, **369**
—— *diadelphum* S. F. Blake, 366
—— ***dimorphandrum*** Donn. Smith, **385**
—— *dubium* Pittier, 368
—— *duckei* Huber, 349
—— —— var. *duckei*, 349
—— —— var. *durum* Ducke, 349
—— —— var. *nigrum* Ducke, 350
—— *ellipticum* Rusby, 391
—— *fasciculatum* Pittier, 391
—— ***filipes*** Benth., **359**
—— ***floribundum*** Vogel, **352**, 353*
—— —— var. ***floribundum***, 353*, **354**
—— —— var. ***latifolium*** (Benth.) Benth., 353*, **354**
—— —— var. *majus* Benth., 354
—— —— var. ***nitens*** (Vogel) Klitg., 353*, **356**
—— —— var. ***obtusifolium*** (Harms) Klitg., 353*, **358**
—— *fragrans* Rusby, 345
—— ***gracile*** Benth., **369**, 370*
—— ***hebestachyum*** Benth., **375**, 376*
—— ***jejunum*** Klitg., 384*, **385**
—— ***lasiocarpum*** Sandwith, 388*, **389**
—— *latifolium* Benth., 354
—— *lunatum* Ducke, 391
—— *nigrum* Ducke, 350
—— *nitens* Vogel, 356
—— *obtusifolium* Harms, 358
—— *paraense* Huber, 391
—— ***parviflorum*** Benth., **381**, 382*
—— *piliferum* Taub., 357

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— ***pinnatum*** (Jacq.) Dugand, **361**, 362*
—— —— subsp. ***pinnatum*** var. ***diadelphum*** (S. F. Blake) Klitg., 362*, **366**
—— —— subsp. ***pinnatum*** var. ***pinnatum***, 362*, **363**
—— —— subsp. ***pinnatum*** var. ***ulei*** (Harms ex Harms) Klitg., 362*, **365**
—— —— subsp. ***polystachyum*** (Benth.) Klitg., 362*, **367**
—— *platystachyum* Benth., 391
—— *pleiostachyum* Donn. Sm., 381
—— *polystachyum* Benth., 367
—— —— var. *fendleri* Benth., 368
—— —— var. *polystachyum* Benth., 367
—— *praecox* Benth., 352
—— ***pubescens*** Micheli, **342**
—— —— subsp. ***fragrans*** (Rusby) Klitg., **345**
—— —— subsp. ***pubescens***, 343*, **344**
—— —— subsp. ***zehntneri*** (Harms) Klitg., 343*, **345**
—— ***speciosum*** Vogel, **358**
—— ***stipulare*** Benth., **350**
—— *stipularis* Benth., 350
—— *tomentellum* Killip, 392
—— ***trifoliolatum*** Benth., **372**, 373*
—— ***trinitatis*** Benth., **346**, 347*
—— —— var. ***duckei*** (Huber) Klitg., 347*, **349**
—— —— var. ***nigrum*** (Ducke) Klitg., 347*, **350**
—— —— var. ***trinitatis***, **346**, 347*
—— *ulei* Harms, 365
—— *urophyllum* Harms, 361
—— ***yucatanum*** Standl., **383**
—— *zehntneri* Harms, 345
Plectocomiinae J. Dransf. & N. W. Uhl, **561**
Plectranthus L'Her., 145
—— *amboinicus* (Lour.) Spreng., 145
—— *barrelieri* (Roth) Spreng., 30
—— *calcaratus* Hemsl., 50
—— *carnosus* (L. f.) Sm., 145
—— *coloratus* D. Don., 38, 40
—— *cymosus* Baker, 146
—— ***epilithicus*** B. J. Pollard, **145**
—— *garrettii* Craib, 51
—— *indicus* (Roth) Spreng., 31
—— *kamerunensis* Gürke, 146
—— *mannii* Baker, 146
—— *marmoritis* Hance, 7, 8
—— *micranthus* Spreng., 4
—— *monachorum* (L.) Spreng., 26
—— ***occidentalis*** B. J. Pollard, **146**
—— *repens* Wall., 145
—— *rubicundus* D. Don., 9
—— *thymiflorus* (Roth) Spreng., 7
—— *tristis* (Roth) Spreng., 7
—— *virgatus* D. Don., 9
Pleurothallis corticicola Schltr. ex Hoehne, 137
—— *microphyta* (Barb. Rodr.) Cogn., 137
Podococceae J. Dransf. & N. W. Uhl, **562**
Prunella indica Burm. f., 35
Psychotria bakossiensis Cheek & Sonke, 293, **296**, 298*
—— ***geophylax*** Cheek & Sonke, **293**, 295*
—— sp. A aff. *gabonica* Hiern, 296
—— sp. B aff. *gabonica* Hiern, 293
Pteris beecheyana Hook., 552
—— *decipiens* Hook., 552
—— *decora* (Brack.) Hook., 553
—— *pedata sensu* Hook. & Arn, 552
Ptychospermatinae Hook. f., **563**
Pycnostachys Hook., 587
—— ***ciliata*** Bramley, **587**, 589*
—— *deflexifolia* Baker, 588
—— *graminifolia* Perkins, 590
—— ***lancifolia*** Bramley, **590**, 591*
—— *speciosa* Gürke, 588

Raphiinae H. Wendl., **560**
Reinhardtieae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**
Rhapidinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **561**
Rhexia cordata Spreng., 445
—— *fulva* Spreng., 445
—— *setosa* Spreng., 446
Rhizophora mucronata Lam., **456**, 457*
Rhopalostylidinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **563**
Rinorea, 581
—— *abbreviata*, 585
—— *afzelii* Engl. *sensu* Achoundong, 582
—— *breteleri*, 585
—— cf. *crassifolia* (Baker f.) De Wild. *sensu* Achoundong, 582
—— *crassifolia* (Baker f.) De Wild., 582
—— ***dewitii*** Achoundong, **582**, 584*
—— *ilicifolia*, 585
—— *keayii*, 585
—— *prasina*, 585
—— ***simoneae*** Achoundong, **581**, 583*
—— *wagemansii*, 585
Riocreuxia Decne., 401, 408, 409, **410**
—— ***aberrans*** R. A. Dyer, **429**, 430*
—— *bolusii* N. E. Br., 418
—— *bubalina* Elliot, 431
—— *burchellii* K. Schum., 412
—— ***chrysochroma*** (H. Huber) Radcl.-Sm., **427**, 428*
—— ***flanaganii*** Schltr., **425**
—— —— subsp. *flanaganii*, 425
—— —— subsp. *segregata*, 412
—— —— subsp. *woodii*, 421
—— —— var. ***alexandrina***, **425**, 426*
—— —— var. ***flanaganii***, **425**, 426*
—— *longiflora* K. Schum., 431
—— ***picta*** Schltr., **422**, 423*
—— ***polyantha*** Schltr., **412**, 413*
—— *profusa* N. E. Br., 412
—— ***splendida*** K. Schum., **415**, 416*
—— ***torulosa*** (E. Mey.) Decne., **417**
—— —— var. ***bolusii*** (N. E. Br.) Masinde, **418**, 420*
—— —— var. *longidens* N. E. Br., 417
—— —— var. *obsoleta* N. E. Br., 417
—— —— var. *tomentosa* N. E. Br., 417
—— —— var. ***torulosa***, **418**, 419*, 420*
—— *torulosa sensu* K. Schum., 412
—— *torulosa sensu* Schltr., 412
—— ***woodii*** N. E. Br., 420*, **421**
Robiquetia bertholdii Rchb. f., 611
—— ***tongaensis*** P. J. Cribb & Ormerod, **609**, 610*
Roystoneae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**
Rubimons paniculatus B. S. Sun, 607

Sabaleae Mart. ex Dumort., **561**
Salaccinae Becc., **560**
Sauvagesia L., 571
—— *linearifolia* A. St.-Hil., 571
—— *nitida* Zappi & E. Lucas, 571
—— ***oliveirae*** Harley & Giulietti, 571, 573*, 575*, **578**, 579*
—— ***ribeiroi*** Harley & Giulietti, 571, 573*, 575*, **576**, 577*
—— ***semicylindrifolia*** Sastre, 571, 573*, **574**, 575*
Schefflera J. R. Forst & G. Forst, 77

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *angustissima* (Marcal) Frodin, 81
—— *calvae* (Cham.) Frodin & Fiaschi, 81
—— ***capixaba*** Fiaschi, **77**, 78, 79*
—— ***grandigemma*** Fiaschi, 77, **78**, 80*, 81, 83
—— ***kollmannii*** Fiaschi, 77, **81**, 82*, 83
—— *longipetiolata* (Pohl ex DC.) Frodin & Fiaschi, 77, 78
—— *morototoni* (Aubl.) Maguire, Steyerm. & Frodin, 78, 83
—— ***ruschiana*** Fiaschi & Pirani, 77, 78, 81, **83**, 84*
Sclerospermeae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **562**
Secamonoideae, 112, 113
Septoria, 149
—— ***agapanthi*** Punith. & Spooner, 149, **150**, 152*, 153*
—— *alliacea* Cooke, 154
—— *allii* Moesz, 154
—— *alliicola* Baumler, 154
—— *allii-giganti* Jacz., 154
—— *alliina* Woronichin, 154
—— *allii-odori* Sawada, 154
—— *allii-striatelli* Speg., 154
—— *alliorum* Westend., 154
—— *ornithogali* Pass. var. *allii* Maublanc, 154
—— *ranojevicii* Bubak, 154
—— —— var. *allii-obliqui* Savul & Sandu, 154
—— *viridi-tingens* M. A. Curtis, 154
Sobralieae, 143
Solenostemon Thonn., 145
—— *cymosus* Baker, 146
—— *mannii* (Hook. f.) Baker, 146
—— *repens* (Gürke) J. K. Morton, 145
Stachytarpheta Vahl, 161
—— ***ajugifolia*** Schauer, **249**
—— ***alata*** (Moldenke) S. Atkins, **206**, 207*
—— ***almasensis*** Mansf., 168*, **223**
—— ***amplexicaulis*** Moldenke, 203*, **206**
—— ***andersonii*** Moldenke, **261**
—— ***angustifolia*** (Mill.) Vahl, **191**
—— ***angustifolia*** (Mill.) Vahl f. ***rionigrensis*** Moldenke, **261**
—— *angustissima* Moldenke, 191
—— ***arenaria*** S. Atkins, **223**, 226*
—— ***atriflora*** S. Atkins, **237**
—— *azurea* Moldenke, 202
—— ***bicolor*** Hook. f., **210**
—— *bicolor* Hook. f. *pilosula* Moldenke, 210
—— ***brasiliensis*** Moldenke, **259**
—— ***bromleyana*** S. Atkins, **221**, 222*
—— ***caatingensis*** S. Atkins, **259**, 260*
—— ***candida*** Moldenke, **239**
—— *candida* Moldenke f. *lilacina* Moldenke, 239
—— *canescens* Humb., Bonpl. & Kunth, 191
—— —— var. *bahiensis* Moldenke, 190
—— —— var. *elliptica* Moldenke, 190
—— —— var. *morii* Moldenke, 190
—— ***cassiae*** S. Atkins, 253*, **254**
—— ***cayennensis*** (Rich.) Vahl, 168*, **176**
—— ***cearensis*** Moldenke, 243*, **247**
—— *chamissonis* Walp., 229
—— —— var. *andersonii* Moldenke, 230
—— —— var. *brevibracteata* Moldenke, 231
—— —— var. *longipedicellata* Moldenke, 230
—— —— var. *longipetiolata* Moldenke, 230
—— —— var. *parvifolia* Moldenke, 230
—— *chapadensis* Moldenke, 239
—— ***coccinea*** Schauer, 168*, **214**
—— ***commutata*** Schauer, **242**, 243*
—— ***confertifolia*** Moldenke, **239**
—— —— var. *puberulenta* Moldenke, 239
—— *crassifolia* forma. *alba* Moldenke, 201
—— ***crassifolia*** Schrad., **197**, 200*
—— —— subsp. ***abairensis*** S. Atkins, **199**, 200*
—— —— subsp. ***crassifolia***, **199**, 200*
—— —— subsp. ***minasensis*** S. Atkins, 200*, **201**
—— —— subsp. ***rotundifolia*** S. Atkins, 200*, **201**
—— ***dawsonii*** Moldenke, **233**
—— ***diamantinensis*** Moldenke, 255*, **256**
—— ***discolor*** Cham., **247**, 248*
—— *elatior* Schrad. ex Roem. & Schultes, 191
—— ***froesii*** Moldenke, **221**
—— ***galactea*** S. Atkins, **216**
—— ***ganevii*** S. Atkins, 168*, **223**, 224*
—— *gardneriana* Hayek, 214
—— ***gesnerioides*** Cham., **202**, 203*
—— —— var. *alata* Moldenke, 206
—— —— var. ***gesnerioides***, 202, 203*
—— —— var. ***glabra*** S. Atkins, **202**
—— —— var. ***hirsuta*** S. Atkins, **204**
—— —— var. *simplex* (Hayek) Moldenke, 261
—— ***glabra*** Cham., **252**, 253*
—— —— var. *angustifolia* Schauer, 252
—— —— var. *latifolia* Schauer, 252
—— ***glandulosa*** S. Atkins, **261**, 263*
—— ***glauca*** (Pohl) Walp., **236**
—— —— var. *serratifolia* Schauer, 236
—— —— var. *subintegrifolia* Schauer, 236
—— ***glazioviana*** S. Atkins, **233**
—— *goyazensis* Turcz., 227
—— ***guedesii*** S. Atkins, **245**, 246*
—— ***harleyi*** S. Atkins, **254**, 255*
—— ***hatschbachii*** Moldenke, **257**, 258*
—— *hirsuta* Jacq. f., 191
—— ***hirsutissima*** Link, **190**, 192*
—— ***hispida*** Nees & Mart., **244**
—— *indica* (L.) Vahl, 193
—— ***integrifolia*** (Pohl) Walp., 168*, **236**
—— *irwinii* Moldenke, 204
—— ***itambensis*** S. Atkins, 250*, **251**
—— ***jamaicensis*** (L.) Vahl, **187**
—— ***lactea*** Schauer, **186**
—— ***lacunosa*** Martius ex Schauer, 246*, **247**
—— —— var. *angustifolia* Moldenke, 251
—— —— var. *attenuata* Moldenke, 204
—— —— var. *cordifolia* Moldenke, 204
—— —— var. *ovatifolia* Moldenke, 204
—— ***laevis*** Moldenke, **188**
—— ***lanata*** Schauer, **264**
—— ***linearis*** Moldenke, **194**
—— *loefgreni* Moldenke, 214
—— ***longispicata*** (Pohl) S. Atkins, 168*, **229**
—— —— subsp. ***brevibracteata*** (Moldenke) S. Atkins, **231**
—— —— subsp. ***minasensis*** S. Atkins, **231**
—— —— subsp. ***ratteri*** S. Atkins, **231**, 232*
—— —— var. ***andersonii*** Moldenke, **230**
—— —— var. ***longipedicellata*** Moldenke, **230**
—— —— var. ***parvifolia*** Moldenke, **230**
—— ***lychnitis*** Mart. ex Schauer, **219**, 220*
—— ***lythrophylla*** Schauer, **194**
—— ***macedoi*** Moldenke, **194**
—— ***martiana*** Schauer, 168*, **256**
—— ***matogrossensis*** Moldenke, **187**
—— ***maximiliani*** Schauer, 189*, **190**
—— —— var. *ciliaris* Moldenke, 176
—— —— var. *glabrata* Schauer, 264
—— ***mexiae*** Moldenke, **244**
—— ***microphylla*** Walp., 168*, **208**
—— *mollis* Moldenke, 227
—— ***monachinoi*** Moldenke, **240**, 241*

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *obovata* Hayek, 256
—— ***pachystachya*** Mart. ex Schauer, **261**, 262*
—— ***paraguariensis*** Moldenke, **187**
—— ***piranii*** S. Atkins, **225**, 226*
—— ***pohliana*** Cham., **254**
—— ***polyura*** Schauer, **186**
—— *polyura* Schauer f. *albiflora* Moldenke, 186
—— ***procumbens*** Moldenke, **237**, 238*
—— *prostrata* Loes. ex Glaz., 239
—— ***puberula*** (Moldenke) Atkins, **229**
—— ***quadrangula*** Nees & Mart., **210**, 211*
—— ***radlkoferiana*** Mansf., **217**, 218*
—— —— var. ***lanata*** S. Atkins, **219**
—— ***restingensis*** Moldenke, **188**, 189*
—— —— var. *hispidula* Moldenke, 191
—— ***reticulata*** Mart. ex Schauer, **204**, 205*
—— —— var. *bahiensis* Moldenke, 247
—— ***rhomboidalis*** (Pohl) Walpers, **234**
—— —— var. *puberula* Moldenke, 229
—— ***rotundifolia*** Link, **264**
—— ***rupestris*** S. Atkins, 205*, **208**
—— *sanguinea* Schauer & Mart., 208
—— —— var. *grisea* Moldenke, 214
—— —— var. *hatschbachii* Moldenke, 208
—— ***scaberrima*** Cham., **212**, 213*
—— —— var. *pilosa* Moldenke, 190
—— *schaueri* Moldenke, 227
—— ***schottiana*** Schauer, **191**, 192*
—— —— var. *angustifolia* Moldenke, 191
—— ***sellowiana*** Schauer, **249**, 250*
—— ***sericea*** S. Atkins, **234,** 235*
—— ***sessilis*** Moldenke, **209**
—— *simplex* Hayek, 264
—— ***spathulata*** Moldenke, **194**
—— —— subsp. ***mogolensis*** S. Atkins, **195**
—— ***speciosa*** Pohl ex Schauer, 168*, **216**
—— ***sprucei*** Moldenke, **206**, 207*
—— ***stannardii*** S. Atkins, **197**, 198*
—— *subulata* Moldenke, 264
—— *triphylla* (Pohl) Walp., 234
—— ***trispicata*** Nees & Mart., **214**, 215*
—— —— var. *ovatifolia* Moldenke, 214
—— ***tuberculata*** S. Atkins, **195**, 196*
—— ***villosa*** (Pohl) Cham., **227**, 228*
—— —— var. *bahiensis* Moldenke, 259
—— ***viscidula*** Schauer, **242**
—— —— var. *brevipilosa* Moldenke, 251
Stagonospora crinii Bubak & Kabat, 152
—— ***curtisii*** (Berk.) Sacc., 149, **152**, 155, 156*
—— *narcissi* Hollos, 152
—— *nerinicola* Dippen., 152
Stagonosporopsis curtisii (Berk.) Boerema, 152
Stathmostelma, 87, 88
—— *pauciflorum*, 88
—— *spectabile*, 88

Trachycalymma, 87
Triarrhena lutarioriparia L. Liu, 605
Tylophora iringensis (Markgr.) Goyder, **613**
Tylophoropsis erubescens Liede & Meve, 613

Verschaffeltiinae J. Dransf., N. W. Uhl, C. Asmussen, W. J. Baker, M. M. Harley & C. Lewis, **564**

Xerorchideae P. J. Cribb, **143**
Xerorchis Schltr., 143
—— *trichorhiza* (Kraenzl.) Garay, 143
Xysmalobium, 87, 88

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007